

# DELL-EMC Compatibility Matrix

#### FSP 3000CC modules

Release	Family	Module	4G FC	8G FC	10G FC	16G FC	32G FC
17.2.2 / 17.2.3							
	OpenFab	MA-2C5LT					X
	QuadFlex*	MP-2B4CT					
FSP 3000							
Release	Family	Module	4G FC	8G FC	10G FC	16G FC	32G FC
17.2.2 / 17.2.3							
		5TCE-PCTN-10GU+10G-xx#Dy	X	X	Χ		
	5TCE	5TCE-PCTN-10GU+AES10G-xx#Dy	Χ	X	Χ		
		5TCE-PCN-10GU+10G	Χ	X	Χ		
		5TCE-PCN-10GU+AES10G	Χ	X	Χ		
		10TCE-PCN-10G+100G		X			
		10TCE-PCN-16GU+100G		X	Χ	Χ	
	10TCE	10TCE-PCN-16GU+AES100G		X	Χ	Х	
		10TCE-PCN-16GU+AES100G-BSI		X	Χ	Χ	
		10TCE-PCN-16GU+AES100G-F		X	Χ	Χ	
	9TCE	9TCE-PCN-10GU+AES10G-F		X			
	4TCA	4TCA-PCN-4GU+4G	Х				
	2WCA	2WCA-PCN-10G	Χ	Χ	X		
	4WCE	4WCE-PCN-16GFC		X		X	
	5WCA	5WCA-PCN-16GU		X		X	



# DELL-EMC Compatibility Matrix

16.1.4						
		5TCE-PCTN-10GU+10G-xx#Dy	Χ	X	Χ	
	5TCE	5TCE-PCTN-10GU+AES10G-xx#Dy	Χ	X	Χ	
	SICE	5TCE-PCN-10GU+10G	X	Χ	Χ	
		5TCE-PCN-10GU+AES10G	Χ	X	Χ	
		10TCE-PCN-10G+100G		Χ		
		10TCE-PCN-16GU+100G		Χ	Х	Х
	10TCE	10TCE-PCN-16GU+AES100G		Χ	Χ	Χ
		10TCE-PCN-16GU+AES100G-BSI		Χ	Χ	Χ
	4TCA	4TCA-PCN-4GU+4G	X			
	2WCA	2WCA-PCN-10G	X	Χ	Х	
	4WCE	4WCE-PCN-16GFC		Χ		X
	5WCA	5WCA-PCN-16GU		Χ		Χ
13.2.2						
		5TCE-PCTN-10GU+10G-xx#Dy	Х	Χ	Х	
	5TCE	5TCE-PCTN-10GU+AES10G-xx#Dy	X	Χ	Χ	
		5TCE-PCN-10GU+AES10G	X	Χ	Χ	
		10TCE-PCN-10G+100G		Χ		
	10TCE	10TCE-PCN-16GU+100G		Χ	X	X
		10TCE-PCN-16GU+AES100G		Χ	X	x
	4TCA	4TCA-PCN-4GU+4G	X			
	2WCA	2WCA-PCN-10G	Χ	Χ	Х	
	4WCE	4WCE-PCN-16GFC		Χ		X
	5WCA	5WCA-PCN-16GU		X		X



### DELL-EMC Compatibility Matrix

11.2.3					
5TCE	5TCE-PCTN-10GU+10G-xx#Dy	X	Χ	Χ	
SICE	5TCE-PCTN-10GU+AES10G-xx#Dy	X	Χ	Χ	
10TCE	10TCE-PCN-10G+100G		X		
4TCA	4TCA-PCN-4GU+4G	Χ			
WCA-PC	WCA-PC-10G-V#Dxx	Χ	Χ	Χ	
2WCA	2WCA-PCN-10G	Χ	Χ	Χ	
4WCE	4WCE-PCN-16GFC		X		Х

#### Notes:

- For Brocade please see Brocade Compatibility Matrix
- The matrix is valid for selected Brocade and CISCO FC switches, see original EMC matrices for details
- RSM and OPPM based protection/restauration is available for all modules
- Protection and/or restauration is not tested and qualified by DELL-EMC

Detailed test reports including switch settings are available on request, please use the web form The official Dell-EMC compatibility matrix is available on request, please use the web form

<sup>\*</sup> QuadFlex module is used only as a transport card for OpenFab (MA-2C5LT) multiplexer signals, there was no direct client support for QuadFlex tested.