



# Brocade Compatibility Matrix

## FSP 3000CC modules

Release	Family	Module	2G FC	4G FC	8G FC	10G FC	16G FC	32G FC
<b>18.2.2</b>								
	OpenFab	MA-2C5LT			X		X	X
		MA-B5LT			X		X	X
	CryptoMux	MA-2C2C3LT-A			X		X	X
		MA-B2C3LT-A			X		X	X
	QuadFlex*	MP-2B4CT						

## FSP 3000

Release	Family	Module	2G FC	4G FC	8G FC	10G FC	16G FC	32G FC
<b>18.2.2</b>								
	5TCE	5TCE-PCTN-10GU+10G-xx#Dy	X	X	X	X		
		5TCE-PCTN-10GU+AES10G-xx#Dy	X	X	X	X		
		5TCE-PCN-10GU+10G	X	X	X	X		
		5TCE-PCN-10GU+AES10G	X	X	X	X		
	10TCE	10TCE-PCN-10G+100G			X			
		10TCE-PCN-16GU+100G			X	X	X	
		10TCE-PCN-16GU+AES100G			X	X	X	
		10TCE-PCN-16GU+AES100G-BSI			X	X	X	
	9TCE	9TCE-PCN-10GU+AES10G-F			X			
		9TCE-PCN-10GU+AES10G-F			X			
	4TCA	4TCA-PCN-4GU+4G	X	X				
	2WCA	2WCA-PCN-10G		X	X	X		
	4WCE	4WCE-PCN-16GFC			X		X	
	5WCA	5WCA-PCN-16GU			X		X	
Protection	RSM	RSM-OLM#1630	X	X	X	X	X	X
	OPPM	OPPM	X	X	X	X	X	X



# Brocade Compatibility Matrix

## FSP 3000CC modules

Release	Family	Module	2G FC	4G FC	8G FC	10G FC	16G FC	32G FC
<b>17.2.2 / 17.2.3</b>								
	OpenFab	MA-2C5LT			X		X	X
	QuadFlex*	MP-2B4CT						

## FSP 3000

Release	Family	Module	2G FC	4G FC	8G FC	10G FC	16G FC	32G FC
<b>17.2.2 / 17.2.3</b>								
		5TCE-PCTN-10GU+10G-xx#Dy	X	X	X	X		
	5TCE	5TCE-PCTN-10GU+AES10G-xx#Dy	X	X	X	X		
		5TCE-PCN-10GU+10G	X	X	X	X		
		5TCE-PCN-10GU+AES10G	X	X	X	X		
		10TCE-PCN-10G+100G			X			
		10TCE-PCN-16GU+100G			X	X	X	
	10TCE	10TCE-PCN-16GU+AES100G			X	X	X	
		10TCE-PCN-16GU+AES100G-BSI			X	X	X	
		10TCE-PCN-16GU+AES100G-F			X	X	X	
	9TCE	9TCE-PCN-10GU+AES10G-F			X			
	4TCA	4TCA-PCN-4GU+4G	X	X				
	2WCA	2WCA-PCN-10G		X	X	X		
	4WCE	4WCE-PCN-16GFC			X		X	
	5WCA	5WCA-PCN-16GU			X		X	
	Protection	RSM	RSM-OLM#1630	X	X	X	X	X
		OPPM	OPPM	X	X	X	X	X

## 16.1.4

5TCE	5TCE-PCTN-10GU+10G-xx#Dy	X	X	X	X		
	5TCE-PCTN-10GU+AES10G-xx#Dy	X	X	X	X		
	5TCE-PCN-10GU+10G	X	X	X	X		
	5TCE-PCN-10GU+AES10G	X	X	X	X		
	10TCE-PCN-10G+100G			X			
	10TCE	10TCE-PCN-16GU+100G			X	X	X
	10TCE-PCN-16GU+AES100G			X	X	X	
	10TCE-PCN-16GU+AES100G-BSI			X	X	X	
	4TCA	4TCA-PCN-4GU+4G	X	X			
	2WCA	2WCA-PCN-10G		X	X	X	
4WCE	4WCE-PCN-16GFC			X		X	
5WCA	5WCA-PCN-16GU			X		X	
Protection	RSM	RSM-OLM#1630	X	X	X	X	X
	OPPM	OPPM	X	X	X	X	X

## 13.2.2

5TCE	5TCE-PCTN-10GU+10G-xx#Dy	X	X	X	X	
	5TCE-PCTN-10GU+AES10G-xx#Dy	X	X	X	X	
	5TCE-PCN-10GU+AES10G	X	X	X	X	
10TCE	10TCE-PCN-10G+100G			X		
	10TCE-PCN-16GU+100G			X	X	X
	10TCE-PCN-16GU+AES100G			X	X	X
4TCA	4TCA-PCN-4GU+4G	X	X			
2WCA	2WCA-PCN-10G		X	X	X	
4WCE	4WCE-PCN-16GFC			X		X

	5WCA	5WCA-PCN-16GU			X		X	
Protection	RSM	RSM-OLM#1630	X	X	X	X	X	
<b>11.2.3</b>								
	5TCE	5TCE-PCTN-10GU+10G-xx#Dy	X	X	X	X		
		5TCE-PCTN-10GU+AES10G-xx#Dy	X	X	X	X		
	10TCE	10TCE-PCN-10G+100G			X			
	4TCA	4TCA-PCN-4GU+4G	X	X				
	WCA-PC	WCA-PC-10G-V#Dxx		X	X	X		
	2WCA	2WCA-PCN-10G		X	X	X		
	4WCE	4WCE-PCN-16GFC			X		X	
Protection	RSM	RSM-OLM#1630	X	X	X	X	X	

Configuration settings and Brocade application support notes (best practice)

- Set all ports speeds fix
- For long-distance, use a fixed mode like LS
- RSM and OPPM based protection/restoration is available for all modules

\* QuadFlex module is used only as a transport card for OpenFab and CryptoMux (MA-2C5LT; MA-2C2C3LT-A) multiplexer signals, there was no direct client support for QuadFlex tested.

Detailed test reports including switch settings are available on request, please use our web form